

**This machine and many others can be found at [hadanichmachine.com](http://hadanichmachine.com)!**

Category	Lathes, Shaft Type
Manufacturer	LeBlond
Model	50/30 Raised 4625 NK Tape Turn I – Flat Bed
Serial Number	2NK506
Year	Rebuilt 2000
Control	Fanuc 18it CNC
Swing Over Bed	50.00 in, 1270.00 mm
Swing Over Cross Slide	33.00 in, 838.20 mm
Distance Between Centers	180.00 in, 4572.00 mm
X – Cross Slide Travel	28.00 in, 711.20 mm
Chuck Diameter	28 in (711 mm), manual, independant
Chuck Type	4-Jaw integral with bolt-on hard jaws
Spindle Bore	3.06 in, 77.777 mm
Spindle Power	75.00 HP 56.25 Kw
Spindle Speed	3 – 670 RPM infinitely variable
Spindle Nose	L3
Tailstock	Non-programmable with #6 Morse Taper
Tailstock Quill Diameter	8.00 in, 203.20 mm / 18.00 in, 457.20 mm Travel
Weight Capacity Between Centers	At 500 RPM 40000 lbs (18180 Kg) At 100 RPM 32560 lbs (14800 Kg) At 500 RPM 20020 lbs (9100 Kg)
Power	Existing
Additional	Press-in center-in chuck, feedrate range .1 to 150 inches per minute, tailstock quill travel 18 in (457.2 mm), carriage length on ways 46.75 in (1187mm), bed width 34 in (863.6mm), quick

change slide tool holder, ways re-ground.

Condition

Excellent

Click on a thumbnail below to see the full-size image. Use your browser's *back* button to return to this gallery.





